

Allergic Reaction

Symptoms:

- Itching all over the body
- Rash all over the body
- Coin like swelling over the body
- Difficulty in breathing
- Giddiness

What to do immediately:

- ✓ Teacher should inform to parents about illness of their child, ask the parents about any ongoing medications for their child.

Nosebleed

Symptoms:

- **Bleeding from the nose.**

What to do immediately:

- ✓ Pinch the nose for 5 minutes, with handkerchief. Refer the child to Doctor/Hospital and inform parents.

Fever

Symptoms:

- **Body ache**
- **Dull child**
- **Chills**

What to do immediately:

- ✓ **Cold sponging**

- ✓ Tepid sponging
- ✓ Syrup Paracetamol {15mg/kg}
- ✓ Refer the child to Doctor/Hospital and inform parents.

Abdominal Pain

Symptoms:

- **Over crying**
- **Holding the hand over the abdomen/stomach.**

What to do immediately:

- ✓ **Inform parents, Syrup Digene/Gelusil. {2.5ml orally stat}.**

History of fall and injury:

Treatment/What to do immediately:

- 1. Clean the wound with soap and water.**
- 2. Apply Betadine liquid over the wound and Do sterile dressing.**

3. Refer the child to Doctor/Hospital and inform parents.

Burn

Treatment/What to do immediately:

- 1. Run cool (not cold) water over the burn until the pain eases.**
- 2. Do not use ice.**
- 3. Refer the child to Doctor/Hospital and inform parents.**

